


DS AUTOMATIC hose reel



The Safety Hose Reel DS for fuel gases and Oxygen provides safety and correct gas supply to your workplace.

Benefits

- easy handling; safety interlock of return mechanism provides traction relief from hose; two lock possibilities by one turn
- regular reel by hose door with roll guides on all sides; hoses will prevent from damage
- various applications by
 - alternatively mounting on wall-, slab-, bottom- or cylinder trolley
 - optional: pivoted wall fastening (150°)
- wear resistance increase lifetime and reduce costs by:
 - ball bearing trommel
 - long life return spring
 - pivot pin and rotor out of brass
 - plastic-coated surface
 - solid tube frame



- high quality equipment for safety
- reduces the risk of accidents by easy usage reel and automatic hose return
- protection against soiling by cover (option)

Model

DS Automatic

Gases

Acetylene, Oxygen (other gases upon request)

Max. working pressure

Acetylene 22 PSI, Oxygen 145 PSI
(other gases upon request)

Gas connections inlet hose reel

G 3/8 LH with nozzle 0.35 inches,
G 1/4 RH with nozzle 0.25 inches

outlet twin hose

G 3/8 LH MG, G 1/4 RH MG

Twin hose

0.35 inches fuel gases, 0.25 inches Oxygen

Scope of delivery

standard with hose

Special accessories

pivoted wall fastening, cover


Approvals

Company certified according to ISO 9001

Model	Hose length [inch]	Weight [oz]	Order-No.
DS- 8	315	705	060120800
DS-10	394	776	060121000
DS-15	591	988	060121500
DS-20	787	1 199	060122000
DS-25	984	1 376	060122500
DS-30	1 181	1 482	060123000
pivoted wall fastening for DS-8 and DS-10			060500200
pivoted wall fastening for DS-15 and DS-20			060500300
pivoted wall fastening for DS-25 and DS-30			060500400
cover upon request			

DS AUTOMATIC hose reel

Dimensions in inches



Model	length A [inch]	length B [inch]	length C [inch]	length D [inch]	length K [inch]
DS- 8	12.20	10.43	9.45	3.94	17.13
DS-10	12.20	10.43	9.45	3.94	17.13
DS-15	16.54	12.01	8.46	7.28	17.13
DS-20	16.54	12.01	8.46	7.28	17.13
DS-25	19.69	15.55	11.81	10.83	17.13
DS-30	19.69	15.55	11.81	10.83	17.13